

SINGLE / DOUBLE PVC DOOR LOCKS Works with Kubu®

High performance multipoint door locking system, equipped for smart technology.



The Works with Kubu® Door Lock isn't just set for smart technology, it has been designed for high performance residential doors and delivers the largest chamfered hooks in the UK market, an exclusive chamfered centre compression bolt, optional roller cams and laminated security shoot bolts. It provides a long service life and is backed by a 10 year mechanical warranty and an additional £1,000 security guarantee, which can be activated by homeowners.

No hardwiring or calibration is required for smart activation - Our Door Locks have been engineered to provide homeowners with a simple, neat and compact smart product that doesn't alter the appearance of the door.

Fitting our Works with Kubu® Door Locks means the door is set for smart technology. Every door fabricated or installed is future proofed and ready to be activated by the end user.





FEATURES

- 25mm deep throw Direct drive centre compression deadbolt
- Largest opposing chamfered security hooks in the UK
- Optional roller cams for additional compression
- Equipped for smart technology enabling homeowners to activate at any time & benefit from a wealth of smart app features
- Fully adjustable security keeps
- High security shoot bolts and adjustable shoot bolt keeps
- Secured by Design accredited
- Compatible with the Avantis 'Twin-Fix' cylinder guard

Secured by Design

SBD

Official Police Security Initiative






PVC DOOR RANGE

SINGLE PVC DOOR LOCKS Works with Kubu[®]

TECHNICAL SPECIFICATIONS

- 16mm and 20mm faceplates, square and radius cut
- 35mm and 45mm back set variants
- PZ92/62mm dual follower centre case
- Tested to PAS24 and BS6375
- Corrosion resistance to EN1670: Grade 4 (240 hours NSS)
- Service life of over 50,000 cycles

PART NUMBER	DESCRIPTION	FACEPLATE MATERIAL	EXTENDABLE	ROLLER CAMS
DLS-01-A-650-S	Kubu® Equipped Door Lock - 650ctrs Standard 35mm back set	Stainless Steel	No	0
DLS-01-A-652-M-ZC	Kubu® Equipped Door Lock - 650ctrs + 2 Cams Standard, 35mm back set	Mild Steel	No	2
DLS-01-A-656-S	Kubu® Equipped Door Lock - 650 ctrs - Serrated Rods 35mm back set	Stainless Steel	Yes	0
DLS-01-A-652-M-ZC-45	Kubu® Equipped Door Lock - 650 ctrs + 2 Cams 45mm back set	Mild Steel	No	2
DLS-H1-A-657-M-ZC	Kubu® Equipped Door Lock - 650 ctrs + 2 cams + Serrated Rods 35mm back	Mild Steel	Yes	2











PVC DOOR RANGE

DOUBLE PVC DOOR LOCKS Works with Kubu®

TECHNICAL SPECIFICATIONS

- 16mm and 20mm faceplates, square and radius cut
- 35mm and 45mm back set variants
- PZ92/62mm dual follower centre case
- Tested to PAS24 and BS6375
- Corrosion resistance to EN1670: Grade 4 (240 hours NSS)
- Service life of over 50,000 cycles
- Sash rebates min 1850mm
 (1685mm with reduced handle height),
 max 2200mm with shootbolts

PART NUMBER	DESCRIPTION	FACEPLATE MATERIAL	ROLLER CAMS
DLS-01-A-556-S	Kubu® Equipped Door Lock - 550ctrs + Serrated Rods	Stainless Steel	0
DLS-01-A-557-M-ZC	Kubu® Equipped Door Lock - 550ctrs + 2 Cams + Serrated Rods	Mild Steel	2
DLS-01-A-557-M-ZC-45	Kubu® Equipped Door Lock - 550ctrs + 2 Cams + Serrated Rods, 45mm back set	Mild Steel	2
DLM1-CC-HS-MS-45	Kubu® Equipped Door Lock C/case only + Serrated Rods (Slave) 45mm back set	Mild Steel	0
DLM1-CC-HS-MS	Kubu® Equipped Door Lock C/case only + Serrated Rods (Slave)	Mild Steel	0
DLSB-005-MS	Kubu® Equipped Door Lock Top / Bottom Shoot Bolt	Mild Steel	0
DLSB-005-SS	Kubu® Equipped Door Lock Top / Bottom Shoot Bolt	Stainless Steel	0
DLSB-006-MS	Kubu® Equipped Door Lock Low Threshold Shootbolt	Mild Steel	-
DLSB-006-SS	Kubu® Equipped Door Lock Low Threshold Shootbolt	Stainless Steel	-
DLSKIT-556-S-106-M-ZC	Kubu® Equipped Door Lock 556 SS & 106 MS Master & Slave Kit	Stainless & Mild Steel	0
DLSKIT-557-M-ZC-106-M-ZC	Kubu® Equipped Door Lock 557 MS & 106 MS Master & Slave Kit	Mild Steel	2

